

2025 Evaluation Form

ASR2011

Inseam Range: 22" - 35"


- Max inseam may not allow for full leg extension.

Pre-teen and adult riders can experience the joy of riding with this semi-recumbent tricycle. The ASR2011 features a low step-through height of 15" which allows for easier transfers, as well as a low seat base for added stability. Thanks to its adjustability, this bike for life will provide riders with the fun and therapeutic benefits of riding a bike for many years to come.



ASR2011 MODEL SPECIFICATIONS	
Rider Age	10+
Max Load (lbs)	225 (430 for HD model)
Bike Weight (lbs)	83
Frame Height	39"
Total Length	85"
Bike Width	35"
Step-Through Height	15"

Measurements Include Rear Steering Handle and High Back Seating



Tips For Choosing an Adaptive Bike

1. Measure Inseam

The measurement we use to ensure each rider gets the correct size of adaptive bicycle is called an inseam. To find an inseam, measure the distance between the bottom of the rider's heel to the top of the rider's inner thigh. Make sure the rider's inseam measurement matches the inseam range for the adaptive bicycle.

2. Know Your Accessories

We offer many different accessories to help people of all abilities experience freedom. Make sure to look through all of our available accessories to make sure the adaptive bike will work for the rider. More information on all of our accessories is available at: www.freedomconcepts.com/product-lines/adaptive-bikes/accessories/

3. We Do Custom

If none of our current models of adaptive bicycles work for you, we are able to custom build a bicycle that will. Please contact us at 1-800-661-9915 for more information.

RIDER INFORMATION

Rider's Name: _____ Male Female Height: _____ Inches _____ cm



Date of Birth: _____ Weight: _____ Lbs _____ Kgs



Inseam: _____












Diagnosis: _____




ASR2011

- Inseam Range: 22" - 35" - Max inseam may not allow for full leg extension

MODEL	
	
The standard ASR2011 frame accommodates an inseam range of 22"-35". Max inseam may not allow for full leg extension.	The ASR2011 HD frame accommodates a Max Load of 430lbs and an inseam range of 27"-37". This frame is 4" longer. *Please note this package includes HD Wheels *Not compatible with Short Frame.
<input type="checkbox"/> ASR2011 (ASR2011)	<input type="checkbox"/> ASR2011 HD (ASR2011-HD)




FRAME ADD-ONS (Optional)	
	
The ASR2011 Short Frame shortens the length of the bike by 5" making this frame ideal for those with little storage space.	The ASR2011 Narrow Frame is ideal for indoor use as it fits through standard doorways with a width of 31".
<input type="checkbox"/> Short Frame (SHORTFRAME)	<input type="checkbox"/> Narrow Frame (NARROW FRAME) *Shortens 4" from width of frame

FRAME COLORS- Select one	
Standard Options	Additional Options
   	      
<input type="checkbox"/> Candy Blue (CANDY BLUE) (STD) <input type="checkbox"/> Hot Rod Purple (HOT ROD PURPLE) (STD) <input type="checkbox"/> Electric Green (GREEN) (STD) <input type="checkbox"/> Cherry Red (RED) (STD)	<input type="checkbox"/> Arctic Teal (TEAL) <input type="checkbox"/> Blaze Orange (ORANGE) <input type="checkbox"/> Radiant Pink (PINK) <input type="checkbox"/> Chrome (CHROME) <input type="checkbox"/> Midnight (BLACK) <input type="checkbox"/> Snow (WHITE) <input type="checkbox"/> Fossil (FOSSIL)
<input type="checkbox"/> Custom Color (CUSTOM COLOR) Please indicate custom color note here:	<input type="checkbox"/> Color combination (COLORCOMBO) Please indicate primary frame color: Please indicate secondary accent color:

DECAL OPTIONS - Select one
<input type="checkbox"/> Racer (STD) (6401432) 
<input type="checkbox"/> Hibiscus (STD) (6401443) 
<input type="checkbox"/> Black & White (STD) (6401420) 

NAMEPLATE (Optional)
<input type="checkbox"/> Custom Nameplate <input type="checkbox"/> Nameplate (NAMEPLATE SP) Notes: 

BELL & SQUEAKY HORN (Select one Bell & one Horn)	
Bells (STD) <input type="checkbox"/> Red (5015014) <input type="checkbox"/> Blue (5015011) <input type="checkbox"/> Purple (5015013) <input type="checkbox"/> Gold (5015012) <input type="checkbox"/> Black (5015010)	Squeaky Horns (Optional) (STD) <input type="checkbox"/> Dog (5015063) <input type="checkbox"/> Dino (5015062) <input type="checkbox"/> Turtle (5015074) <input type="checkbox"/> Frog (5015065) <input type="checkbox"/> Penguin (5015068) <input type="checkbox"/> Giraffe (5015075) <input type="checkbox"/> Cat (5015061) <input type="checkbox"/> Unicorn (5015071) <input type="checkbox"/> Parrot (5015070) <input type="checkbox"/> Tiger (5015069) <input type="checkbox"/> Orca (5015067) <input type="checkbox"/> Shark (5015072)

TIRE SELECTION - Select one * HD Model includes HD Wheels		
		
<input type="checkbox"/> Smooth Solid Tires (SMOOTH SOLID TIRES) Ideal for indoor and outdoor use, with limited speeds and/or with caregiver present Wheel Add-On: <input type="checkbox"/> Heavy Duty Rim (HD Wheels)	<input type="checkbox"/> Knobby Pneumatic (2112352) Ideal for more independent riders, wanting to ride outdoors or on uneven surfaces. Wheel Add-On: <input type="checkbox"/> Heavy Duty Rim (HD Wheels)	<input type="checkbox"/> Smooth Pneumatic (2112351) Ideal for more independent riders, wanting to ride at faster speeds Wheel Add-On: <input type="checkbox"/> Heavy Duty Rim (HD Wheels)

HANDLEBAR OPTIONS - Select one		
		
<input type="checkbox"/> Hoop Handlebars (STD) (2111001)	<input type="checkbox"/> Enclosed Hoop Handlebars (2111003)	<input type="checkbox"/> Wide Handlebars (2111007)

T-BAR SUPPORT HANDLE


<input type="checkbox"/> T-Bar Support Handle (2111469)

STEERING OPTIONS - Select Setup	
<input type="checkbox"/> Unlocked Steering (STEERUNLOCKED) <i>This option allows the rider to control the steering.</i>	<input type="checkbox"/> Locked Steering (STEERLOCKED) <i>This option takes steering control away from the rider so the caregiver can have full control of the bike with the Rear-Steering Handle.</i>
<small>*Please note you can change the steering from unlocked to locked by using the Freedom Concepts multi-tool that comes with every bike.</small>	

REAR STEERING

<input type="checkbox"/> Rear Steering Handle (REAR STEER)

REAR STEERING ADD-ONS	
	
<input type="checkbox"/> Pushbar Steering (2125006) <i>*Requires Rear Steering Handle</i>	<input type="checkbox"/> Hoop Handlebar (2125005) <i>*Requires Rear Steering Handle</i>

PROPULSION - Please fill out one column			
<input type="checkbox"/> Direct Drive (STD) (DIRECT DRIVE) <i>When the bike is moving, the pedals are moving.</i> Pedal Power <input type="checkbox"/> Extra Easy (EXTRA_EASY) <input type="checkbox"/> Easy (EASY) <input type="checkbox"/> Average (AVERAGE) <input type="checkbox"/> Challenging (CHALLENGING)	<input type="checkbox"/> Free Wheel (FREE WHEEL) <i>Allows legs to rest while the bike coasts forward.</i> Pedal Power <input type="checkbox"/> Average (AVERAGE) <input type="checkbox"/> Challenging (CHALLENGING)	<input type="checkbox"/> On/Off Pin Reciprocator (ON-OFF) <i>Alternate from Free Wheel mode or Direct Drive by engaging the On/Off Pin Reciprocator.</i> Pedal Power <input type="checkbox"/> Easy (EASY) <input type="checkbox"/> Average (AVERAGE) 	<input type="checkbox"/> Nexus 8 Speed Drive (2012091) <input type="checkbox"/> 5-Speed Coaster Brake with Reverse (2060016) Shifter Location: <input type="checkbox"/> Right (SHIFTHB) Handlebar <input type="checkbox"/> Rear Steering Handle (SHIFTRS) <input type="checkbox"/> T-Bar (SHIFTTB)

Seating System


Please Fill Out Either The Child Set Up or The Adult Set Up

Please note that all seat bases come with a seat belt and all high-back back rests come with a chest strap

Child Seat	12.5" width, 12.5" depth
Child High-Back	13" width, 18" height
Adult Seat	16.75" width, 14" depth
Adult High-Back	17" width, 18" height



The 2" raised pommel keeps riders further back in their seats while helping with stability and promotes leg abduction.



A narrow seat aids in clearance and in pass-through. The nose of the seat is slightly narrower to aid with pedaling.



The standard seat will fit and function for most riders.

ADULT SET UP (Recommended)	
Seat Base	
<input type="checkbox"/> Adult Seat (6114015)	(STD)
<input type="checkbox"/> Adult Narrow Seat (6114017)	
<input type="checkbox"/> Adult Pommel Seat (6114018)	
<input type="checkbox"/> Adult Narrow Pommel Seat (6114020)	
<input type="checkbox"/> Four-Point Neoprene Hip Stabilizer Belt (2125274) <i>*OPTIONAL</i>	
Back Rest	
<input type="checkbox"/> Adult High Back (2114020)	(STD)

SEATING ACCESSORIES (Optional)

Neoprene Chest Harness



Laterals (Width and height adjustable, comes with an adjustable track system)



Flip-Up Abductor



Medium
(2114077)

Large
(2114078)

Extra Large
(2114079)

Standard Small Laterals
(2114070)

Standard Large Laterals
(2114072)

Narrow Small Laterals
(2114071) *Shifts chest width range 3" narrower

Narrow Large Laterals
(2114073) *Shifts chest width range 3" narrower

Small Laterals Chest Width: 8½" - 11¼"

Large Laterals Chest Width: 12"-15"

Chest Width: _____

Seat-to-Armpit: _____

Flip-Up Abductor
(2020205)

This flip-up abductor assists with leg/knee separation during pedaling and is mounted securely to the underside of the seat.

HEADRESTS (Optional)



Adjustable Backrest Extension
(HEADREST)

The adjustable headrest extends the seat backing height an additional 7" and can be removed for ease of transport.

Adjustable Headrest with Occiput Support Cushion
(HEADREST PLUS)

The adjustable headrest with an occiput support cushion provides additional neck support for the rider. The cushion comes with velcro and can be removed or adjusted as required.

Head and Neck Support

***Please call 1-800-661-9915 for sizing and part number. In some cases we are able to adapt our seatback to accommodate common wheelchair headrests.**

PEDAL OPTIONS - Select one



Mountain Pedals are recommended for riders that have more control and high tone muscle control.

The Neoprene adjustable footplate is a quick and easy way to maintain proper positioning and pedal pressure. Recommended for children with low muscle tone.

Molded ABS Footplates are designed to provide precise positioning for children with more spasticity. They also help with leg alignment and knee flexion.

Molded ABS Footplates with Ratchet Straps helps to secure the riders foot in a specific position. Recommended for children with plantar flexion.

Mountain Pedals with Toe Cage (STD)
(2112081)

Neoprene Adjustable

SML (2012031) *4" x 7"

MED (2012032) *4½" x 10"

***LRG** (2012033) *5" x 11½"

***XL** (2012034) *5½" x 12"

Molded ABS

SML (2012042) *3" x 7"

MED (2012043) *3" x 10¾"

***LRG** (2012044) *3½" x 11½"

***XL** (2012045) *4" x 13"

Molded ABS with Ratcheting Straps

SML (2012052) *3" x 7"


MED (2012053) *3" x 10¾"

***LRG** (2012054) *3½" x 11½"

***XL** (2012056) *4" x 13"

***Please note: Front Pulley String is required for LRG and XL footplates**

PEDAL ADD-ONS - (Optional)



1/4 Inch Footplate Spacers
(2412050)

Please add how many spacers are needed below. (Maximum 8 per side)

_____ left + _____ right = _____ total

Pulley String

Front pulley assists with plantar flexion.

Front
(2115022)

CHAINGUARD - Select one



Heavy Duty Steel Chainguard (STD)

ABS Enclosed
(ABS ENCLOSED)

***Recommended for multi-user environments.**

BRAKE OPTIONS AND POSITIONS

Select Front Brake Position (Included)

*Please select one option

- Left Handlebar (2113412)
- Right Handlebar (2113411)
- Rear Steering Handlebar (2113413) *Rear Steering Handle Required
- T-Bar (2113414) *T-Bar Support Handle Required

Select Rear Brake Position (Included)

*Please select one option - must differ from front brake position


- Left Handlebar (2113422)
- Right Handlebar (2113421)
- Rear Steering Handlebar (2113423) *Rear Steering Handle Required
- T-Bar (2113424) *T-Bar Support Handle Required

BRAKE ADD-ON (Optional)

- Adjustable Drag Brake (2013215) *T-Bar Support Handle or Rear Steer Required

CRANK ARMS - Select one

- 3" Alloy Crank (5012252)
- 4" Alloy Crank (5012254)
- 5" Alloy Crank (STD) (5012255) *Recommended



Crank Arm Length Shortener

*reduces length by 1/2" (optional)

- Left Side (2012049)
- Right Side (2012050)
- Both Sides (2012047)

FRONT FORK - Select one



- Rigid Chrome Fork (STD) (5011021)



- Suspension Fork (5011026)

ACCESSORIES - (Optional)



Velcro Hand-Eye Coordination Gloves

- XS (6315031) 5½" height x 1¾" wrist
- SML (6315033) 6" height x 2" wrist
- MED (6315034) 7" height x 2¼" wrist
- LRG (6315035) 8" height x 3¾" wrist



- Indoor Stationary Trainer (2022310)



Leg Braces

*Only available with molded footplates.
*Requires Rear Pulley.

- Left Side Only (LEG BRACE L)
- Right Side Only (LEG BRACE R)
- Pair (LEG BRACE PAIR)

Inseam: _____
Calf Circumference: _____
Measurement with AFO's



- Rear Platform (REAR PLATFORM)



- Removable Canopy (6515011)
*Requires T-Bar or Rear Steer

ACCESSORIES - (Optional)



- Spoke Covers (3) (2112341)



Adjustable Tablet/Phone Holder

- Tablet (5025070)
- Phone (5025080)



- Cane/Crutch Holder (2125060)



- Padded Adduction Strap (6320060)








- Electric Assist Motor (2125361)

Add-On:

- Pedal Assist Sensor (2125355)

ACCESSORIES - (Optional)

				
<input type="checkbox"/> Communication Tray (2125281)	<input type="checkbox"/> Simulated Sheepskin Cover <input type="checkbox"/> Child Seat (6114070) <input type="checkbox"/> Adult Seat (6114080)	<input type="checkbox"/> Mirror (5015040)	<input type="checkbox"/> Tool Pouch (6300022)	<input type="checkbox"/> Bike Cover (6315604)

CUSTOMER INFORMATION

Dealer/Vendor: _____
 Contact Person: _____
 Address: _____
 City: _____ Prov./State: _____
 Postal/Zip Code: _____ Ordered by: _____
 Phone: _____ Fax: _____
 Email: _____

ORDER INFORMATION

Purchase Order: _____
 Order Date: _____ Quote Date: _____
 FCI Representative: _____
 Payment Terms: _____
 CREDIT CARD (CHECK ONE) Visa MasterCard Exp. Date: _____
 Card Number: _____
 Name On Card: _____
 Signature: _____

SHIPPING INSTRUCTIONS

Name: _____
 Address: _____
 City: _____
 Province/State: _____
 Postal/Zip Code: _____ Phone: _____
 Federal ID/SS#: _____

PRIVACY POLICY

Freedom Concepts Inc. collects, uses and discloses personal information of the Customer and/or Rider to properly assemble and manufacture the mobility device and may contact the Rider's therapist for additional personal information to assist with this process. The collection, use and disclosure of the personal information of the Customer and/or the Rider is governed by any consent which may, from time to time, be provided, and by the Freedom Concepts Inc. Privacy Policy which is available on our website www.freedomconcepts.com or by contacting our office. By signing below, you hereby warrant that you have the authority to bind the Rider and hereby authorize the collection, use, and disclosure of personal information as herein provided and in accordance with the Freedom Concepts Inc. Privacy Policy.

TERMS AND CONDITIONS

Prices are subject to change without notice. Prepaid or net 30 days O.A.C. All taxes extra. Freight extra. Manufacturer reserves the right to change prices, colors, features, dates, locations and products without notice. Residential delivery charge may apply. Duty and brokerage included where applicable.

 CUSTOMER SIGNATURE

PHOTO RELEASE

I hereby give permission to Freedom Concepts Inc. to use photographs of me or my child at their discretion. YES NO

I would like to receive regular updates. SNAIL MAIL EMAIL NO

 SIGNATURE OF RIDER/PARENT

NOTES: