

2025 Evaluation Form

EHDU12

Arm Length Range: 16" - 24"

With the EHDU12, riders 4 to 8 years old will be introduced to all the fun handcycling provides while reaping its therapeutic benefits. This upright handcycle features an adjustable steering column which provides a safe and comfortable riding experience for the rider.



EHDU12 MODEL SPECIFICATIONS	
Rider Age	4-8
Max Load (lbs)	125
Bike Weight (lbs)	45
Height	41"
Total Length	54"
Bike Width	33"
Step-Through Height	14"

Measurements Include Rear Steering Handle and High Back Seating

Tips For Choosing an Adaptive Bike

1. Measure Arm Length


To properly size the rider on a handcycle we recommend measuring the riders arm length. Measure from the palm to the back of shoulder and provide the dimensions below. If a hand and foot propulsion bike is required, we also ask for the rider's leg inseam. For the leg inseam, measure the distance between the bottom of the rider's heel to the top of the rider's inner thigh.

2. Know Your Accessories

We offer many different accessories to help people of all abilities experience freedom. Make sure to look through all of our available accessories to make sure the adaptive bike will work for the rider. More information on all of our accessories is available at: www.freedomconcepts.com/product-lines/adaptive-bikes/accessories/

3. We Do Custom

If none of our current models of adaptive bicycles work for you, we are able to custom build a bicycle that will. Please contact us at 1-800-661-9915 for more information.



RIDER INFORMATION



Rider's Name: _____ Male Female Height: _____ Inches _____ cm












Date of Birth: _____ Weight: _____ Lbs _____ Kgs








Inseam: _____ Arm Length: _____

Diagnosis: _____

EHDU12

MODEL	FRAME ADD-ON (Optional)
 <p>The standard EHDU12 model accommodates an arm length range of 16"-24".</p>	 <p>The narrow frame option has a width of 29" and is able to fit through standard door frames.</p>
<input checked="" type="checkbox"/> EHDU12 (EHDU12)	<input type="checkbox"/> EHDU12 Narrow (NARROW FRAME)

FRAME COLORS- Select one	
Standard Options	Additional Options
   	      
<input type="checkbox"/> Candy Blue (CANDY BLUE) (STD) <input type="checkbox"/> Hot Rod Purple (HOT ROD PURPLE) (STD) <input type="checkbox"/> Electric Green (GREEN) (STD) <input type="checkbox"/> Cherry Red (RED) (STD)	<input type="checkbox"/> Arctic Teal (TEAL) <input type="checkbox"/> Blaze Orange (ORANGE) <input type="checkbox"/> Radiant Pink (PINK) <input type="checkbox"/> Chrome (CHROME) <input type="checkbox"/> Midnight (BLACK) <input type="checkbox"/> Snow (WHITE) <input type="checkbox"/> Fossil (FOSSIL)
<input type="checkbox"/> Custom Color (CUSTOM COLOR) Please indicate custom color note here:	<input type="checkbox"/> Color combination (COLORCOMBO) Please indicate primary frame color: Please indicate secondary accent color:

DECALS - select one	NAMEPLATE (Optional)	TIRE SELECTION - Please Select One		
<input type="checkbox"/> Racer (STD) (6401283) 	Custom Nameplate <input type="checkbox"/> Nameplate (NAMEPLATE SP) Notes:			
<input type="checkbox"/> Hibiscus (STD) (6401284) 		<input type="checkbox"/> Smooth Solid Tires (STD) (SMOOTH SOLID TIRES) <i>Ideal for indoor and outdoor use, with limited speeds and/or with caregiver present</i>	<input type="checkbox"/> Knobby Pneumatic (2112252) <i>Ideal for more independent riders, wanting to ride outdoors or on uneven surfaces.</i>	<input type="checkbox"/> Smooth Pneumatic (2112251) <i>Ideal for more independent riders, wanting to ride at faster speeds</i>
<input type="checkbox"/> Black & White (STD) (6401220) 				

BRAKE OPTIONS AND POSITIONS - A coaster brake comes standard on all EHDU handcycles	
Select First Brake Position (Included)	Select Second Brake Position (Optional)
*Please select only one option (STD)	*Please select only one option - must differ from front brake position
<input type="checkbox"/> Left T-Pedal (2113232) *T-Handle Pedal required <input type="checkbox"/> Right T-Pedal (2113231) *T-Handle Pedal required <input type="checkbox"/> Rear Steering Handle (2113215) *Requires Rear Steering Handle <input type="checkbox"/> T-bar (2113214)	<input type="checkbox"/> Left T-Pedal (2113234) *T-Handle Pedal required <input type="checkbox"/> Right T-Pedal (2113235)*T-Handle Pedal required <input type="checkbox"/> Rear Steering Handle (2113211) *Requires Rear Steering Handle <input type="checkbox"/> T-bar (2113210)

REAR STEERING



Rear Steering Handle
(REAR STEER)

REAR STEERING ADD-ONS



Pushbar Steering
(2125006) *Requires Rear Steering Handle



Hoop Handlebar
(2125005)
*Requires Rear Steering Handle

HAND PROPULSION

3 Speed Coaster Brake with Reverse (STD)
(2060013)

Shifter Location:

Right Hand Pedal (SHIFTHB)
*T-Handle Pedal required



Rear Steer (SHIFTRS)
*Requires Rear Steering Handle

T-Bar (SHIFTTB)

U-Bar (2460070)

FOOT PLATFORM - Select one

*If ordering foot-drive, this section is not required.

XS (2060018) *2½" x 6" (STD)



SML (2060019) *3" x 7" (STD)

MED (2060020) *3" x 10¾" (STD)

LRG (2060021) *3½" x 11½" (STD)

XL (2060022) *4" x 13" (STD)

HAND PEDALS - Please select one

Bar End Grip Pedals (STD)
(2060192)

Foam Covered Grip
(2060191)

T-Handle Pedal
(2060190)



CRANK ARMS - Select one

3" Alloy Crank
(5012252)

4" Alloy Crank (STD)
(5012254) *Recommended

5" Alloy Crank
(5012255)

6" Alloy Crank
(5012251)


Seating System

Please Fill Out Either The Child Set Up or The Adult Set Up
Please note that all seat bases come with a seat belt and all highback backrests come with a chest strap.
Adult seating strongly not recommended with narrow frame.

Child Seat	12.5" width, 12.5" depth
Child High Back	13" width, 18" height
Child Low Back	13" width, 7.5" height
Adult Seat	16.75" width, 14" depth
Adult Low Back	18" width, 10" height
Adult High Back	18" width, 18" height



The 2" raised pommel keeps riders further back in their seats while helping with stability and promotes leg abduction.



A narrow seat aids in clearance and in pass-through. Adult seating is not available with a Narrow Frame.



The bench seat is standard on all handcycle models without foot drive.

CHILD SET UP

Seat Base

Child Bench Seat (STD)
(6114113) *Not suitable with foot drive

Child Seat
(6114013)

Child Narrow Seat
(6114014)

Child Pommel Seat
(6114010)

Child Narrow Pommel Seat
(6114016)

Four-Point Neoprene Hip Stabilizer Belt (2125273) *OPTIONAL

Back Rest

Child Low Back
(2114009)

Child High Back Cut Out (STD)
(2114102)

ADULT SET UP

*Not Recommended With Narrow Frame

Seat Base

Adult Bench Seat
(6114115) *Not suitable with foot drive

Adult Seat
(6114015)

Adult Narrow Seat
(6114017)

Adult Pommel Seat
(6114018)

Adult Narrow Pommel Seat
(6114020)

Four-Point Neoprene Hip Stabilizer Belt (2125274) *OPTIONAL

Back Rest

Adult Low back
(2114019)

Adult High Back Cut Out
(2114105)

Foot Drive

Only fill out this page if ordering an EHDU with hand and foot drive.

Inseam Range: 13" - 23"

- Max inseam may not allow for full leg extension.

FOOT DRIVE

Foot Pedals (FOOT DRIVE)

This drive selection will indicate that you want a hand and foot propulsion.



PROPULSION - Please fill out one column

Direct Drive (DIRECT DRIVE) (STD)

When the bike is moving, the pedals are moving.

On/Off Pin Reciprocator (ON-OFF)

Alternate from Free Wheel mode or Direct Drive by engaging the On/Off Pin Reciprocator.

Pedal Power:

Extra Easy (EXTRA_EASY)

Easy (EASY)

Average (AVERAGE)

Challenging (CHALLENGING)

Pedal Power:

Easy (EASY)

Average (AVERAGE)

PEDAL OPTIONS



Mountain Pedals are recommended for riders that have more control and high tone muscle control.



The Neoprene adjustable footplate is a quick and easy way to maintain proper positioning and pedal pressure. Recommended for children with low muscle tone.



Molded ABS Footplates are designed to provide precise positioning for children with more spasticity. They also help with leg alignment and knee flexion.



Molded ABS Footplates with Ratchet Straps helps to secure the riders foot in a specific position. Recommended for children with plantar flexion.

Mountain Pedals with Toe Cage (2112081) (STD)

Neoprene Adjustable

SML (2012031) *4" x 7"

MED (2012032) *4½" x 10"

LRG (2012033) *5" x 11½"

Molded ABS

SML (2012042) *3" x 7"

MED (2012043) *3" x 10¼"

LRG (2012044) *3½" x 11½"

Molded ABS with Ratcheting Straps

SML (2012052) *3" x 7"

MED (2012053) *3" x 10¼"

LRG (2012054) *3½" x 11½"

PEDAL ADD-ONS - (Optional)



1/4 Inch Footplate Spacers (2412050)

Please add how many spacers are needed below. (Maximum 8 per side)

_____ left + _____ right = _____ total



Pulley String

Front pulley assists with plantar flexion and rear pulley helps self-level the pedals.


Front (2115022)

Rear (2115025)

CRANK ARMS - Select one

3" Alloy Crank (5012252) *Recommended (STD)

4" Alloy Crank (5012254)



Crank Arm

Crank Arm Length Shortener

*reduces length by 1/2" (optional)

Left Side (2012049)


Right Side (2012050)

Both Sides (2012047)

CHAINGUARD - Select one



Heavy Duty Steel Chainguard (STD) (STD CHAINGUARD)



ABS Enclosed (ABS ENCLOSED)

*Recommended for multi-user environments.

SEATING ACCESSORIES (Optional)

Neoprene Chest Harness



Laterals (Width and height adjustable, comes with an adjustable track system)



Flip-Up Abductor



Medium
(2114077)

Large
(2114078)

Standard Small Laterals
(2114070)

Small Laterals Chest Width: 8½" - 11¼"

Standard Large Laterals
(2114072)

Large Laterals Chest Width: 12"-15"

Narrow Small Laterals
(2114071) *Shifts chest width range 3" narrower

Chest Width: _____

Narrow Large Laterals
(2114073) *Shifts chest width range 3" narrower

Seat-to-Armpit: _____

Flip-Up Abductor
(2020205)

This flip-up abductor assists with leg/knee separation during pedaling and is mounted securely to the underside of the seat.

HEADRESTS (Optional)



Adjustable Backrest Extension
(Backrest Ext)

The backrest extension extends the seat backing height an additional 7" and can be removed for ease of transport.

Tip: A Low Back Seat and the Adjustable Backrest Extension can be combined to create a height-adjustable backrest.

Adjustable Headrest with Occiput Support Cushion
(HEADREST PLUS) *Requires Highback Seat

The adjustable headrest with an occiput support cushion provides additional neck support for the rider. The cushion comes with velcro and can be removed or adjusted as required.

Head and Neck Support

*Requires Highback Seat

***Please call 1-800-661-9915 for sizing and part number. In some cases we are able to adapt our seatback to accommodate common wheelchair headrests.**

ACCESSORIES - (Optional)



Leg Braces
*Only available with molded footplates.
*Requires Rear Pulley.

Left Side Only
(LEG BRACE L)
 Right Side Only
(LEG BRACE R)
 Pair (LEG BRACE PAIR)

Inseam: _____
Calf Circumference: _____
Measurement with AFO's

Rear Platform
(REAR PLATFORM)

Removable Canopy
(6515011)

Spoke Covers (3)
(2112240)

Cane/Crutch Holder
(2125060)

ACCESSORIES - (Optional)



Padded Adduction Strap
(6320060)

Oxygen Tank Holder
(2125010)
***Fits Size D/E Tanks**

Tool Pouch
(6300022)

Bike Cover
(6315600)

CUSTOMER INFORMATION

Dealer/Vendor: _____
 Contact Person: _____
 Address: _____
 City: _____ Prov./State: _____
 Postal/Zip Code: _____ Ordered by: _____
 Phone: _____ Fax: _____
 Email: _____

ORDER INFORMATION

Purchase Order: _____
 Order Date: _____ Quote Date: _____
 FCI Representative: _____
 Payment Terms: _____
 CREDIT CARD (CHECK ONE) Visa MasterCard Exp. Date: _____
 Card Number: _____
 Name On Card: _____
 Signature: _____

SHIPPING INSTRUCTIONS

Name: _____
 Address: _____
 City: _____
 Province/State: _____
 Postal/Zip Code: _____ Phone: _____
 Federal ID/SS#: _____

PRIVACY POLICY

Freedom Concepts Inc. collects, uses and discloses personal information of the Customer and/or Rider to properly assemble and manufacture the mobility device and may contact the Rider's therapist for additional personal information to assist with this process. The collection, use and disclosure of the personal information of the Customer and/or the Rider is governed by any consent which may, from time to time, be provided, and by the Freedom Concepts Inc. Privacy Policy which is available on our website www.freedomconcepts.com or by contacting our office. By signing below, you hereby warrant that you have the authority to bind the Rider and hereby authorize the collection, use, and disclosure of personal information as herein provided and in accordance with the Freedom Concepts Inc. Privacy Policy.

TERMS AND CONDITIONS

Prices are subject to change without notice. Prepaid or net 30 days O.A.C. All taxes extra. Freight extra. Manufacturer reserves the right to change prices, colors, features, dates, locations and products without notice. Residential delivery charge may apply. Duty and brokerage included where applicable.

 CUSTOMER SIGNATURE

PHOTO RELEASE

I hereby give permission to Freedom Concepts Inc. to use photographs of me or my child at their discretion. YES NO

I would like to receive regular updates. SNAIL MAIL EMAIL NO

 SIGNATURE OF RIDER/PARENT

NOTES: